ELSEVIER

**Biomembranes**

Vol. 1283, 1996

BBA Biochimica et Biophysica Acta

# Cumulative Contents

*Information for Contributors* vii

## *Rapid report*

Valinomycin acts as a channel in ultrathin lipid membranes
*A. Gliozzi, M. Robello, L. Fittabile, A. Relini and A. Gambacorta (Italy)* 1

## *Short sequence-papers*

Characterisation of *vha*26, the *Drosophila* gene for a 26 kDa E-subunit of the vacuolar ATPase
*Y. Guo, Z. Wang, A. Carter, K. Kaiser and J.A.T. Dow (UK)* 4

Primary structure of human plasma membrane $Ca^{2+}$-ATPase isoform 3
*B.J. Brown, H. Hilfiker, S.J. DeMarco, D.A. Zacharias, T.M. Greenwood, D. Guerini and E.E. Strehler (USA, Switzerland)* 10

## *Regular papers*

Adenosine diphosphate inhibits the serotonin transporter
*G.M. Anderson, L.M. Hall, W.C. Horne and J.X. Yang (USA)* 14

The effects of cholesterol inclusion on the vesicular membranes of cationic lipids
*S. Bhattacharya and S. Haldar (India)* 21

Role of proline residue in the channel-forming and catecholamine-releasing activities of the peptaibol, trichosporin-B-VIa
*Y. Nagaoka, A. Iida, T. Kambara, K. Asami, E. Tachikawa and T. Fujita (Japan)* 31

Fusion of liposomes due to transient and lasting perturbation induced by synthetic amphiphilic peptides
*J. Zhao, S. Kimura and Y. Imanishi (Japan)* 37

Cholesterol increases the thermal stability of the $Ca^{2+}/Mg^{2+}$-ATPase of cardiac microsomes
*A. Ortega, J. Santiago-García, J. Mas-Oliva and J.R. Lepock (Canada, México)* 45

Inactivation of ecto-ATPase activity of rat brain synaptosomes
*F.J. Martín-Romero, E. García-Martín and C. Gutiérrez-Merino (Spain)* 51

The interaction of the anti-cancer drug cisplatin with phospholipids is specific for negatively charged phospholipids and takes place at low chloride ion concentration
*G. Speelmans, W.H.H.M. Sips, R.J.H. Grisel, R.W.H.M. Staffhorst, A.M.J. Fichtinger-Schepman, J. Reedijk and B. De Kruijff (The Netherlands)* 60

The role of plasma membrane $K^+$ and $Ca^{2+}$ permeabilities for glucose induction of slow $Ca^{2+}$ oscillations in pancreatic β-cells
*M. Eberhardson, A. Tengholm and E. Grapengiesser (Sweden)* 67

Ethanol-enhanced permeation of phosphatidylcholine/phosphatidylethanolamine mixed liposomal membranes due to ethanol-induced lateral phase separation
*H. Komatsu and S. Okada (Japan)* 73

Modulation of the skeletal muscle ryanodine receptor by endogenous phosphorylation of 160/150-kDa proteins of the sarcoplasmic reticulum
*I. Orr and V. Shoshan-Barmatz (Israel)* 80

The identification of the phosphorylated 150/160-kDa proteins of sarcoplasmic reticulum, their kinase and their association with the ryanodine receptor
*V. Shoshan-Barmatz, I. Orr, S. Weil, H. Meyer, M. Varsanyi and L.M.G. Heilmeyer (Israel, Germany)* 89

The active transport of polypeptides in the rabbit nasal mucosa is supported by a specific vesicular transport inhibited by cytochalasin D
*D. Cremaschi, C. Porta and R. Ghirardelli (Italy)* 101

Symmetry and pH dependency of the lactate/proton carrier in skeletal muscle studied with rat sarcolemmal giant vesicles
*C. Juel (Denmark)* 106

Interdigitation of bilayers from ether lipid analogs: (*R*)-PAF, (*R*)-Lyso-PAF and the antineoplastic (*R*)-ET-18-OMe
*X. Xie, S. Lin, J. Moring and A. Makriyannis (USA)* 111

Enhancement of intestinal transport of thyrotropin-releasing hormone via a carrier-mediated transport system by chemical modification with lauric acid
*K. Tanaka, T. Fujita, Y. Yamamoto, M. Murakami, A. Yamamoto and S. Muranishi (Japan)* 119

*Information for Contributors* v

## *Regular papers*

Non-random peroxidation of different classes of membrane phospholipids in live cells detected by metabolically integrated *cis*-parinaric acid
*V.B. Ritov, S. Banni, J.C. Yalowich, B.W. Day, H.G. Claycamp, F.P. Corongiu and V.E. Kagan (USA, Italy)* 127

Conformational disorder in unsaturated phospholipids by FTIR spectroscopy
*N.-C. Chia and R. Mendelsohn (USA)* 141

Phosphatidylethanol as a $^{13}$C-NMR probe for reporting packing constraints in phospholipid membranes
*A.V. Victorov, T.F. Taraschi and J.B. Hoek (USA)* 151

Archaebacterial lipid models: stable liposomes from 1-alkyl-2-phytanyl-*sn*-glycero-3-phosphocholines
*K. Yamauchi, K. Doi and M. Kinoshita (Japan)* 163

Model of a sub-main transition in phospholipid bilayers
*M. Nielsen, L. Miao, J.H. Ipsen, K. Jørgensen, M.J. Zuckermann and O.G. Mouritsen (Canada, Denmark)* 170

Preparation and properties of sterically stabilized hexadecylphosphocholine (miltefosine)-liposomes and influence of this modification on macrophage activation
*R. Zeisig, I. Eue, M. Kosch, I. Fichtner and D. Arndt (Germany)* 177

Solubilization and reconstitution characteristics of the carrier protein(s) responsible for the transport of ceftibuten, a substrate for the oligopeptide transporters, in rat renal brush-border membrane
*I. Naasani, T. Kikuchi, M. Sugawara, M. Kobayashi, K. Iseki and K. Miyazaki (Japan)* 185

ATP increases $Ca^{2+}$-activated $K^+$ channel activity in isolated rat arterial smooth muscle cells
*S.A. Hartley and R.Z. Kozlowski (UK)* 192

A calorimetric study of binary mixtures of saturated and monounsaturated mixed-chain phosphatidylethanolamines
*H.-n. Lin, S. Li, G. Wang, E.E. Brumbaugh and C. Huang (USA)* 199

The interaction of cationic liposomes with the skin-associated bacterium *Staphylococcus epidermidis*: effects of ionic strength and temperature
*N.M. Sanderson, B. Guo, A.E. Jacob, P.S. Handley, J.G. Cunniffe and M.N. Jones (UK)* 207

Characterisation of the dystrophin-related protein utrophin in highly purified skeletal muscle sarcolemma vesicles
*K. Ohlendieck (Ireland)* 215

Two kinetically-distinct components of UDP-glucuronic acid transport in rat liver endoplasmic reticulum
*E. Battaglia, S. Nowell, R.R. Drake, M. Mizeracka, C.L. Berg, J. Magdalou, S. Fournel-Gigleux, J.L. Gollan, R. Lester and A. Radominska (France, USA)* 223

Cholesterol modulates organic cation transport activity and lipid fluidity in rat renal brush-border membranes
*T. Nabekura, M. Takano and K.-i. Inui (Japan)* 232

*Cumulative Contents, Vol. 1283* 237

*Author index* 239